INNOVATION PANELS



all for perpetual classic

Fashion and luxury

INNOVATION PANELS

ABOUT US


KMK Supply Company has been leading provider of Furniture, Fixtures & Equipment for over a decade. Since 1990, KMK Supply Company has fulfilled our Clients' needs with assurances of quality, pricing and service both domestically and internationally. Our company continues to grow meeting the needs of leading hotel brands such as Crowne Plaza, Holiday Inn, Best Western, Ramada Inn, Hotel Indigo & many more.

Our newly patented INNovation Panels is now our quickest selling product. Not only are the panels aesthetically pleasing, they are versatile and practical. INNovation Panels are mainly applicable to indoor wall décor (theme of walls, the backdrop, active partition walls), Furniture (Cabinet System, wardrobe, bedroom furniture), Doors (entrance door, sliding doors), etc.

INNovation Panels are wear and mold resistant, flame resistant, moisture resistant, easy to install & maintain.

We look forward to working with you to help create your next masterpiece using INNovation Panels.

INNovation Panels



Contents

INNovation Gallery p.3

INNovation Panels pattern and Vinyl p.13

A Series INNovation Engraved Panels 4'X8' p.17

K Series INNovation Thin Engraved Panels 4'X 8' p.24

T Series INNovation Engraved Flexible Panels 4'X8' p.26

Qa Series INNovation Engraved Puzzle Panels 2'X2' p.28

Qb Series INNovation Engraved Puzzle Panels 1'X4' p.33

Mq Series INNovation Engraved Mark Panels 2'X2' p.35

S Series INNovation Fireproof & Waterproof Engraved Panels 900mmx1800mm p.35

Installation Method p.37



A011-s01



A011-s02



A007-w03



A802-g10




T019-g03




Qa058-s01 & Qa059-s01



A007-p21



A011-a32



T020-a32



A030-s13



1. Qa059-s14 2. Qa035-a41 3. Qa058-g05 4. Qa065-g03



A007-p21



A004-a42



A123-a42



1. A014-a42　2. A123-a42



A013-g05



1. A007-s01 2. A001-b01 3. Qa053-g24





A031-a01



A104-a32



K066-g05






K066-g05



A002-g21



K066-A01



A013-a32




K048-g05



a01



a02



a03



a04



a12




a15




a16



a17




a18




a20





a25




a31


a32


a41



a42


a44


b03


b04



c01


c02


c03


c04


c20


g01


g03



g05


g10



g11



g22



g24



g34



m01


m02



m03


m04



m05




s01



s02



s13



s14




w03

Calcium Silicate Board



p21



p22



p34




p36



A001 S

Size:
2440x1220x9(mm)
Repeat Size:
271x44(mm)







A001r

Size:
2440x1220x9(mm)
Repeat Size:
44x271(mm)








A002

Size:
2440x1220x9(mm)
Repeat Size:
222x51(mm)








A003

Size:
2440x1220x9(mm)
Repeat Size:
102x102(mm)








A004 S

Size:
2440x1220x9(mm)
Repeat Size:
610x610(mm)








A005

Size:
2440x1220x9(mm)
Repeat Size:
2440x1220(mm)









A007 S

Size:
2440x1220x9(mm)

Repeat Size:
610x610(mm)










A008 S

Size:
2440x1220x9(mm)

Repeat Size:
610x610(mm)









A011

Size:
2440x1220x9(mm)

Repeat Size:
51x51(mm)








A012

Size:
2440x1220x9(mm)

Repeat Size:
153x61(mm)








A013

Size:
2440x1220x9(mm)

Repeat Size:
2440x1220(mm)





A014

Size:
2440x1220x9(mm)

Repeat Size:
2440x1220(mm)











A025

Size:
2440x1220x9 (mm)
Repeat Size:
610x305 (mm)








A026

Size:
2440x1220x9 (mm)
Repeat Size:
123x78 (mm)







A027 S

Size:
2440x1220x9 (mm)
Repeat Size:
204x204 (mm)








A028

Size:
2440x1220x9 (mm)
Repeat Size:
406.6x406.7 (mm)







A030

Size:
2440x1220x9 (mm)
Repeat Size:
204x204 (mm)








A031 S

Size:
2440x1220x9 (mm)
Repeat Size:
2440x610 (mm)








A031r

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
2440 x 610 (mm)









A043

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
1220 x 305 (mm)









A044

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
1220 x 305 (mm)









A047

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
305 (mm)









A051

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
101.7 x 87.1 (mm)








A101

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
610 x 305 (mm)









A102

Size:
2440x1220x9(mm)
Repeat Size:
488x68(mm)







A103

Size:
2440x1220x9(mm)
Repeat Size:
153x51(mm)








A104

Size:
2440x1220x9(mm)
Repeat Size:
153x51(mm)








A123

Size:
2440x1220x15(mm)
Repeat Size:
610x610(mm)








A203

Size:
2440x1220x15(mm)
Repeat Size:
305x305(mm)









A204

Size:
2440x1220x9(mm)
Repeat Size:
813.3x610(mm)








A401

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
1220 x 610 (mm)







A403


Size:
2440 x 1220 x 9 (mm)

Repeat Size:
1220 x 610 (mm)












A111

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
87 x 153 (mm)










A113

Size:
2440 x 1220 x 15 (mm)

Repeat Size:
175 x 305 (mm)










A071

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
174 x 305 (mm)









A105

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
610 x 610 (mm)








A052

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
51 x 31 (mm)










A090

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
2440 x 610 (mm)









A107

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
204 x 204 (mm)








A010

Size:
2440 x 1220 x 9 (mm)

Repeat Size:
305 x 51 (mm)







INNovation Thin Engraved Panels- K Series (4'x8')

Material：E1 version MDF / Size：1220 x 2440 x 5 mm




K066

The thickness of K series is 5mm. It is composed by vinyl and MDF board.



K066






K048

Size：
2440 x 1220 x 5 (mm)

Repeat Size：
2440 x 1220 (mm)






K049

Size：
2440 x 1220 x 5 (mm)

Repeat Size：
305 (mm)








INNovation Thin Engraved Panels- K Series (4'x8')


Material：E1 version MDF / Size：1220 x 2440 x 5 mm




K069

Size:
2440x1220x5(mm)

Repeat Size:
153(mm)









K101

Size:
2440x1220x5(mm)

Repeat Size:
2440x1220(mm)








K102

Size:
2440x1220x5(mm)

Repeat Size:
2440x1220(mm)







K066

Size:
2440x1220x5(mm)

Repeat Size:
1220(mm)









K067

Size:
2440x1220x5(mm)

Repeat Size:
305(mm)









K071

Size:
2440x1220x5(mm)


Repeat Size:
34(mm)





INNovation Engraved Flexible Panels- T Series (4'x8')


Material：E1 version MDF / Size：1220 x 2440 x 6, 9, 15 mm





T011

Size:
2440x1220x9(mm)

Repeat Size:
51x51(mm)









T015

Size:
2440x1220x9(mm)

Repeat Size:
61(mm)








T016

Size:
2440x1220x9(mm)

Repeat Size:
61(mm)








T017

Size:
2440x1220x9(mm)

Repeat Size:
1220(mm)









T018

Size:
2440x1220x9(mm)

Repeat Size:
102x102(mm)








T019

Size:
2440x1220x9(mm)


Repeat Size:
610x610(mm)





INNovation Engraved Flexible Panels- T Series (4'x8')


Material：E1 version MDF / Size：1220 x 2440 x 6, 9, 15 mm





T020

Size:
2440x1220x9(mm)

Repeat Size:
102x102(mm)









T020n

Size:
2440x1220x6(mm)

Repeat Size:
102x102(mm)








T029

Size:
2440x1220x9(mm)

Repeat Size:
153x153(mm)







T019-g03

Puzzle panels are square Qa series (2'x2') and rectangle Qb series (1'x4'). Designs can create a variety of pattern designs.







Qa058-g03 & Qa059-g03

Qa 001

Size : 610 x 610 x 9 (mm)









Qa 004

Size : 610 x 610 x 9 (mm)









Qa 007

Size : 610 x 610 x 9 (mm)








Qa 027

Size : 610 x 610 x 9 (mm)








Qa 032

Size：610x610x9(mm)








Qa 033

Size：610x610x9(mm)








Qa 034

Size：610x610x9(mm)








Qa 035

Size：610x610x9(mm)









Qa 036

Size：610x610x9(mm)









Qa 037

Size：610x610x9(mm)









Qa 046

Size：610x610x9(mm)









Qa 051

Size：610x610x9(mm)








Qa 053

Size : 610 x 610 x 9 (mm)








Qa 054 S

Size : 610 x 610 x 9 (mm)








Qa 055 S

Size : 610 x 610 x 9 (mm)









Qa 056

Size : 610 x 610 x 15 (mm)









Qa 057

Size : 610 x 610 x 15 (mm)







Qa 060

Size : 610 x 610 x 9 (mm)









Qa 058

Size : 610 x 610 x 15 (mm)








Qa 059

Size : 610 x 610 x 15 (mm)









Qa 065

Size：610x610x9(mm)









Qa 071

Size：610x610x15(mm)









Qa 123

Size：610x610x15(mm)









Qa 203

Size：610x610x15(mm)








Qa 107

Size：610x610x9(mm)










Qa 108

Size：610x610x9(mm)









Qa 516

Size：610x610x9(mm)










Qa 111

Size：610x610x9(mm)









Qa 062 S

Size : 610 x 610 x 9 (mm)









Qa 063

Size : 610 x 610 x 9 (mm)










Qa 076

Size : 610 x 610 x 5 (mm)











Qb038-g03




Qb 001

Size:
1220x305x9(mm)








Qb 004

Size:
1220x305x9(mm)









Qb 031

Size:
1220x305x9(mm)









Qb 038

Size:
1220x305x9(mm)








Qb 048

Size:
1220 x 305 x 5 (mm)









Qb 049

Size:
1220 x 305 x 5 (mm)







Qb 050

Size:
1220 x 305 x 9 (mm)









Qb038-a32

Installation Method :



Installation Method :




Mq INNovation Engraved Mark Panels- Mq Series (2'x2')

Material：E1 version MDF / Size：610 x 610 x 4 mm


Mq 001

Size：610x610x4(mm)




Mq 002

Size：610x610x4(mm)




Mq 003

Size：610x610x4(mm)




Mq 004

Size：610x610x4(mm)




Mq 005

Size：610x610x4(mm)



Mq 006

Size：610x610x4(mm)




S INNovation Fireproof & Waterproof Engraved Panels

Material：Japan calcium silicate board

Size：1800 x 900 x 9 mm



- Meet the Anti-flaming Grade 1



The base board can be optional the luxury Leather Panel to combinations to meet a variety of exclusive styles

1. INNovation Panels Regular Products List


ITEM AND DESCRIPTION		DIMENSIONS (mm)			ft^2	SPECIFICATION
		W	L	T		
INNovation Engraved Panels	A Series 4′ x 8′	1220	2440	9/15	32	Larger size panels can be installed simultaneously to extend the panel pattern design.
	Qa Series 2′ x 2′	610	610	9/15	4	Smaller puzzle panels, easy to install simultaneously to extend the panel pattern design.
	Qb Series 1′ x 4′	305	1220	5/9	4	Small puzzle panels, easy to install simultaneously to extend the panel pattern design.
	K Series 4′ x 8′	1220	2440	5	32	Thin, Light, suitable for large wall area.
	Description : Three Dimensional Engraved Luxurious decorative panels laminated with Water, Flame & Wear resistant Soft Vinyl on E1 version Moisture Resistant MDF baseboard.					
INNovation Flexible Engraved Panels	T Series 4′ x 8′	1220	2440	6/9/15	32	Flexible panels with finished edge.
	Mq Series 2′ x 2′	610	610	4	4	Thin engraved flexible panels.
	Description :Three Dimensional Engraved Luxurious decorative panels laminated with Water, Flame & Wear resistant Soft Vinyl on E1 version Moisture Resistant MDF baseboard with non-woven fabric backing. These panels are bendable to accomodate curved installation					
INNovation Panels	B Series 4′ x 8′	1220	2440	5	32	Plane INNovation Panels engraving board can be used in large wall decoration. Replace paint wallpaper. Veneer plywood planning ditch bending
	Description : The INNovation panels is F3 version splint.					
INNovation Fireproof & Waterproof Engraved Panels	S Series 900mmx1800mm	900	1800	9	18	Fireproof & Waterproof

2. The INNovation engraved panels can be custom designed.


The biggest size is 1220 x 2440 mm (48" x 96") and minimum size is 100 x 100 mm (4" x 4").

INNovation Panels Installation method


A · T Series installation method




▲ Draw lines for each split, and glue both center and edge area
▲ It applies to plywood, gypsum board, and calcium silicate



▲ Use the white and super glue as shown in sample




▲ Install panels from center to outer area, and bottom to top
▲ To secure panel from the side, add tiny nails




▲ Tap and fit the glued area

Q Series (Super glue)


Use white glue and tiny nails to hold it tight. also can use white glue and super glue to make it firmed on the wall




▲ Draw lines for each split, and glue both center and edge area
▲ It applies to plywood, gypsum board, and calcium silicate



▲ Apply super glue on back of the panel




▲ Install panels from center to outer area, bottom to top




▲ Tap and fit the glued area


Qb038 Suggested Installation Method



Qb050 Suggested Installation Method



Type of seam




Read Carefully Before Installing:

1.INNovation Panels ~ Dimension Deviation: For example 4'x 8' (1220 mm * 2440mm)


2.INNovation Vinyl thickness is 0.4mm~1.2mm, The MDF Panels is 1 mm smaller, in width and length. Always install the central panel first.

3.Avoid sharp objects that could damage Vinyl.

INNovation Panels exclusive finished edge accessories




1.Interior angle molding
2.Exterior angle molding
3.Vinyl film
4.Corner finished molding 10 x 10 mm
5.Corner finished molding 6 x 24 mm




Installation drawings for reference

Innovation Aluminum Cabinet Door






▲ Embedded panel closing edge



▲ Tightly sealed closing edge photo



▲ Aluminum frame


SGS

TEST REPORT

Report NO. : TB-14-054923A
C-14-21290
Page NO. : 1 OF 2
Date : Oct. 30,2014

Project Name : Self Evaluation
Contractor : ----
Applicant : EASY WORK INTERNATIONAL TRADING CO.
Supplier : ----
Sample Name : LEATHER PANELS (1.5 mm)
Sample Submitted By : EASY WORK INTERNATIONAL TRADING CO. - LIU PING LUN
Date of Sample Received : Oct. 15,2014
Date of Testing : Oct. 15,2014 ~ Oct. 30,2014
Remark : The information mentioned in the above section is provided by Client
(Exclude Date of Sample Received and Date of Testing)

Test Results

Test Item	Test Results	Method Detection Limit (MDL)	Test Method
Emission of formaldehyde-Maximum (mg/L)	0.4	0.05	CNS 2215(2012)
Emission of formaldehyde-Average (mg/L)	0.4	0.05	

Note1 : If test results are lower than MDL, the N.D. will be shown.
If they are lower than QDL and higher than MDL, the = (0.2) will be shown.
MDL means method detection limit and QDL means quantitation and detection limits.
Note2 : N.D. = Not Detected.
Note3 : The sample material is not conform to CNS 2215(2012), therefore this test report can not be issued TAF logo.

----------E----------

The required specification(s) offered in this test report is/are for reference only.
The conformity judgment is at the Applicant's final verdict.


SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to any transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS TAIWAN LTD. 1 SGS Taiwan Ltd. No. 3, Lin Ac Rd, Taichung Industrial Park, Taichung 40358, Taiwan (R.O.C.) t (886-4) 2358-7111 f (886-4) 2358-7112 www.sgs.tw

Member of SGS Group

- Formaldehyde test F1-grade
  formaldehyde emissions as 0.3mg/L


SGS

Eastwear Physical Testing Lab - Taichung

TEST REPORT

Report No. : TE/2014/A0157
Page No. : 1 OF 2
Date : 2014/10/21

EASY WORK INTERNATIONAL TRADING COMPANY
NO.99, LONGMEN RD., LONGJING DIST., TAICHUNG CITY 434, TAIWAN (R.O.C.)

The following merchandise was submitted and identified by the client as:

Product Description : LEATHER PANELS.
Color : AS THE SAMPLE PHOTO.
Sample submitted by : EASY WORK INTERNATIONAL TRADING COMPANY.
Received Date : 2014/10/15.
Testing Period : 2014/10/15 TO 2014/10/21.

We have tested the submitted sample(s) as requested and the following results were obtained:

Test Required & Test Results :
Abrasion resistance of textile fabrics test
Test Method : ASTM D4966-12 Martindale Abrasion Tester Method
Test Condition : Temp.20±2℃, R.H.65±2%
Loading 12 kPa
Test Results : Dry at 100,000 cycles
Tested sample was slight abrasion and no pilling.
Color change Grade 4-5

SGS TAIWAN LTD.


Mandy Liu / Team Leader
Signed for and on behalf of
SGS TAIWAN LTD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to any transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS TAIWAN LTD. 1 SGS Taiwan Ltd. No. 3, Lin Ac Rd, Taichung Industrial Park, Taichung 40358, Taiwan (R.O.C.) t (886-4) 2358-7111 f (886-4) 2358-7112 www.sgs.tw

Member of SGS Group

- Wear test
  Comply with wear-resistant transfer
  100,000Level


SGS

TEST REPORT

Report NO. : TB-14-054923A
C-14-21290
Page NO. : 2 OF 2
Date : Oct. 30,2014

Test Results :

Test Item	Test Result	Standard values of CNS 7614(1994) Anti-flaming Grade 1	Standard values of CNS 7614(1994) Anti-flaming Grade 2	Standard values of CNS 7614(1994) Anti-flaming Grade 3	Test Method
Flame heating time(sec)	10	----	----	----	CNS 7614(1994) A Method
Remaining flame time (sec)	0.0	≤ 1	≤ 5	≤ 5	
Embers time (sec)	0.0	≤ 60	≤ 60	≤ 60	
Length of carbonization (cm)	2.0	≤ 5	≤ 10	≤ 15	

Note1 : Sample thickness is 14.5 mm
Note2 : Test performed by Sammy Chou
Note3 : The sample thickness is not conform to CNS 7614(1994), therefore this test report can not be issued TAF logo.
Note4 : This test report is an additional original report of TB-14-054923A C-14-21290 issued date : Nov. 10,2014.

----------oOo----------

The required specification(s) offered in this test report is/are for reference only.
The conformity judgment is at the Applicant's final verdict.

SGS TAIWAN Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to any transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS TAIWAN LTD. 1 SGS Taiwan Ltd. No. 3, Lin Ac Rd, Taichung Industrial Park, Taichung 40358, Taiwan (R.O.C.) t (886-4) 2358-7111 f (886-4) 2358-7112 www.sgs.tw

Member of SGS Group

- Flame resistant test
  Comply with flameproof specification
  after flame time = 0

Mould Proof Test Report

Item	Testing	Testing Mould	Testing Result
1	ASTM G21-96	Aspergillus niger	0
		Chaetomium Globasum	0
		Penicillium Funiculosum	0
		Aureobasidium pullulans	0
		Trichoderma viride	0
2	AATCC TEST Method 30 PART 3	Aspergillus niger	No growth
3	ASTM E1428-99	Streptoverticillium reticulum	No growth

KMK SUPPLY CO.,

9070 Rosecrans Ave.

Bellflower CA 90706

TEL:1-800-325-3477 Fax:1-562-531-0512

www.innovationpanels.com / www.kmksupply.com

Email:info@kmksupply.com